Sl. No.: 10000344

10-3				 J .	-0
Register Number			39		

2015 SOCIAL AND PREVENTIVE MEDICINE

Time Allowed: 3 Hours]

[Maximum Marks: 300

H015

Read the following instructions carefully before you begin to answer the questions.

IMPORTANT INSTRUCTIONS

- This Booklet has a cover (this page) which should not be opened till the invigilator gives signal to open
 it at the commencement of the examination. As soon as the signal is received you should tear the right
 side of the booklet cover carefully to open the booklet. Then proceed to answer the questions.
- 2. This Question Booklet contains 200 questions. Prior to attempting to answer the candidates are requested to check whether all the questions are there in series without any omission and ensure there are no blank pages in the question booklet. In case any defect in the Question Paper is noticed it shall be reported to the Invigilator within first 10 minutes.
- 3. Answer all questions. All questions carry equal marks.
- 4. You must write your Register Number in the space provided on the top right side of this page. Do not write anything else on the Question Booklet.
- 5. An Answer Sheet will be supplied to you separately by the Invigilator to mark the answers.
- 6. You will also encode your Register Number, Subject Code, Question Booklet Sl. No. etc. with <u>Blue or Black ink Ball point pen</u> in the space provided on the side 2 of the Answer Sheet. If you do not encode properly or fail to encode the above information, action will be taken as per commission's notification.
- 7. Each question comprises four responses (A), (B), (C) and (D). You are to select ONLY ONE correct response and mark in your Answer Sheet. In case, you feel that there are more than one correct response, mark the response which you consider the best. In any case, choose ONLY ONE response for each question. Your total marks will depend on the number of correct responses marked by you in the Answer Sheet.
- 8. In the Answer Sheet there are four circles (A), (B), (C) and (D) against each question. To answer the questions you are to mark with Blue or Black ink Ball point pen ONLY ONE circle of your choice for each question. Select one response for each question in the Question Booklet and mark in the Answer Sheet. If you mark more than one answer for one question, the answer will be treated as wrong. e.g. If for any item, (B) is the correct answer, you have to mark as follows:

 $A \bullet C D$

- 9. You should not remove or tear off any sheet from this Question Booklet. You are not allowed to take this Question Booklet and the Answer Sheet out of the Examination Hall during the examination.

 After the examination is concluded, you must hand over your Answer Sheet to the Invigilator. You are allowed to take the Question Booklet with you only after the Examination is over.
- 10. The sheet before the last page of the Question Booklet can be used for Rough Work.
- 11. Failure to comply with any of the above instructions will render you liable to such action or penalty as the Commission may decide at their discretion.
- 12. Do not tick-mark or mark the answers in the Question booklet.

SPACE FOR ROUGH WORK

1.	Alcol	hol is associated with all of the following	ng can	cers except:
	(A)	Pharynx	(B)	Larynx
	(C)	Esophagus	(D)	Urinary Bladder
2.	Fact	ories Act 1976 defines factory as an es	tablish	ment employing
	(A)	10 or more workers where power is	used	
	(B)	30 or more workers where power is	not use	d
	(C)	20 or more workers where power is	used	
	(D)	Only skilled workers		
3.	ESI	corporation works under		
	(A)	Ministry of Labour	(B)	Ministry of health
	(C)	As autonomous body	(D)	State government
4.	The	employee contribution under ESI act i	s	
	(A)	0.75%	(B)	1.75%
	(C)	3.75%	(D)	4.75%
5.	The	time limit for registration of death unc	ler Bir	th and Death Registration Act
	(A)	7	(B)	14
	(C)	21	(D)	28
6.		Kumari, who delivered a female baby . How she can register the birth of her		onths ago, forget to register the birth of the now?
	(A)	She can register the birth free of cos	t	
	(B)	She can register the birth on paymen	nt of pr	rescribed fee
	(C)	An affidavit is required from a Notar	ry Publ	lic to register birth
	(D)	An order from class one magistrate i	s neces	ssary to register the birth

••	III ce	maus interacy rate is assessed by		
	(A)	Ability to read and write		
	(B)	Ability to write signatures		
	(C)	Ability to read alone		
	(D)	Attended literacy classes for one ye	ear	
8.	Man	agement technique for participatory	managei	ment is
	(A)	Systems analysis	(B)	Model
	(C)	Management by objectives	(D)	Work sampling
9.	All a	re measures of central tendency exce	ept	
	(A)	Mean	(B)	Mode
	(C)	Median	(D)	Range
10.	The	most sensitive indicator of environm	ental iod	ine deficiency is
	(A)	Prevalence of goitre		
	(B)	Prevalence of eretenism		
	(C)	Prevalence of neonatal hypothyroic	dism	
	(D)	Urinary iodine excretion		
11.	End	emic Ascitis is due to the toxic substa	ance	
	(A)	BOAA	(B)	Sanguinarine
	(C)	Pyrrolizidine	(D)	Affalotoxin
12.	All t	he statement regarding Mid-day mea	al progra	mme are true <u>except</u>
	(A)	the meal should be a supplement	128	
	(B)	the meal should supply atleast on total protein requirement	e half of	total energy requirement and one third of
	(C)	complicated cooking process shoul	d be avoi	ded
	(D)	cost of the meal should be low		
но	L 5		4	

13.	In In	dia, the integrated disease surveilla	ance proje	ct was launched in
	(A)	2004	(B)	2006
	(C)	2008	(D)	2010
14.	Case	Study is the method in sociology		
	(A)	to elicit an individual's symptoms	and signs	
	(B)	to explore and analyze the life of a	a social ur	i t
	(C)	to decipher an individual's menta	l status as	sessment
	(D)	to implement a social worker's ass	signment	
15.	After	the appearance of rash in a child w	ith measle	s, isolation is recommended for a period of
	(A)	10 – 14 days	(B)	7 – 10 days
	(C)	5 - 7 days	(D)	1 – 3 days
16.		Intelligence Quotient expressed in 9		한 병과 교회 개발 하는 이렇게 되는 어떤 모든 모든
	(A)	The chronological age divided by		그는 이번 그렇게 되었다. 현재하다고 말로 하는데 모든 모든 것은 것
	(B)	The chronological age divided by		l age
	(C)	The metal age divided by chronolo	V. S	이 하셨다네. 루시티 살았다면 먹죠
1	(D)	The mental and attitudinal score	divided by	y chronological age
17.	Basi	c unit of society is		
	(A)	an individual	(B)	a group
	(C)	a family	(D)	a village
18.	The	transmission of the following infect	ion is cont	rolled by Sanitation Barrier
	(A)	Hepatitis A	(B)	Hepatitis B
	(C)	Hepatitis C	(D)	Hepatitis D
. N. M. N.				

19.	In the "Ice Berg of Disease", the waterline represents the demarcation between								
	(A)	Apparent – Inapparent disease							
	(B)	Treated – Died due to a disease							
	(C)	Not treated - Died due to a disease							
	(D)	Late treatment - Death due to disease							
		하는 사람들이 되는 것이 하는 것이 되는 것이 되었다. 그런 것이 되고 있는 것이 되었다. 그렇게 그는 것이 되는 것이 되는 것을 같은 것이 되는 것이 되는 것이 되는 것이 되는 것이 되었다.							
		보고 하는 사람이 되었다. 그를 하는 것은 것이 없는 사람들이 없었다.							
20.	Age	and sex composition of population can be demonstrated by							
	(A)	Bar chart (B) Age – Pyramid							
	(C)	Pictogram (D) Histogram							
21.	Whic	ch of the following is the modal ministry for ICDS programme centre							
	(A)	Ministry of social welfare development							
	(B)	Ministry for rural development							
	(C)	Ministry for health and family welfare							
	(D)	Social Justice							
	(D)	Social austice							
		에 있어야 한다. 고개성인 전, 그리고 되면 된 선생생 보호를 보고 있어 때문을 받고 있다. 그림 하스트 하는 사람들은 바로에 보고 있는데 보고 있는데 그리고 있다.							
22.	The	Juvenile Justice Act 1960 defines juvenile							
	(A)	a child who has committed an offence							
	(B)	boy less than 16 yrs of age and girl less than 18 yrs of age							
	(C)	boy/girl less than 18 yrs of age							
	(D)	boy/girl less than 16 yrs of age							
		경에 가는 사람이 생긴 가면 그렇게 하는 것이 되었다. 그 그렇게 되었다고 있는 것이 되었다고 있다. 그 그 그 없는 것이 되었다. 2011년 - 1일 - 1일 2015년 1일							
23.		er AFP surveillance, follow up examination is done after							
	(A)	(A) 15 days of onset of paralysis							
	(B)	33 days of onset of paralysis							

(C)

(D)

60 days of after onset of paralysis

93 days of after onset of paralysis

24.	Whic	ch is true about live vaccine?			
	(A)	An adjuvant is needed			
•	(B)	Electricity optional for storage			
	(C)	Duration of immunity is shorter			
	(D)	Effectiveness of the protection is	s greater		
25.	All o	f the following are components of	PQLI EXCE	CPT	
	(A)	Infant mortality			
	(B)	Literacy			
	(C)	Life expectancy at age one			
	(D)	Life expectancy at birth			
			IIDI EVCE	DΦ	Siring an ann an Aire. Tha ann an Aire an
26.		of the following are components of			
	(A)	Knowledge	(B)	Housing	
	(C)	Longevity	(D)	Income	
27.	The	adverse events following immuniz	zation that	occurs within 24 hou	rs include all EXCEPT
	(A)	Persistent inconsolable screemi	ing		
* 18	(B)	Anaphylaxis			
	(C)	Toxic shock syndrome			
	(D)	Suppurative lymphadenitis			
28.	Reg	arding inactivated vaccines the fo	llowing are	true EXCEPT	(
	(A)	Effectiveness of protection is lo	wer than li	ve vaccine	
	(B)				
	(C)	The duration of immunity is lo	nger		
	(D)		cine		
dz			7		HO15
					[Turn over

29.	Pla	nning -	Progra	mming	- Budgeting Sy	stem –	PPBS, mainly focuses on	
	(A)		ource al					
	(B)	Tim	e frame					
	(C)	Hun	nan resc	urces				
	(D)	Mon	itoring	and eva	luation			
30.	X-I	Ray unit	s for T.]	3. contr	ol programme a	are prov	ided through:	
	(A)					(B)	DANIDA	
	(C)	DAN	MIEN			(D)	Ford foundation	
31.	In e	evaluati	on of he	alth sei	rvices a measur	e of out	put per unit input is :	
	(A)		uation o				로 기존 기업 기업 기존 기존 기존 기존 기업	
	(B)	Eval	uation o	of efficie	ency			
	(C)	Eval	uation o	of impa	et		[[[[[[[[]]]]]]] [[]] []] []	
	(D)	Eval	uation o	of effect			하고 살살다. 그렇게 한 그림	
32.	Die	tary fib	res have	the fol	lowing beneficia	al effect	s except	
	(A)		n stools					
	(B)	Redu	ice flatu	lence				
	(C)	Incre	ase trai	nsit tim	e of food			
	(D)				gen synthesis			
33.	Mat	ch the f	ollowing	3				
	(a)	> 2 pp	m flour	ing in d	rinking water	1.	intra uterine death of foetus	
	(b)		deficier			2.	atrophy of thymus	
	(c)		eficienc			3.	stiffness of joints and spine	
	(d)	Iron d	eficiency	y		4.	how mean corpuscular volume	
		(a)	(b)	(c)	(d)			
	(A)	3	1	2	4			
	(B)	3	1	4	2			
	(C) (D)	2	3	1	4			
		4	1	3	4			
HO15						8		

34.		ange the itest	follow	ing prog	ramme	s accordi	ng to t	their year o	f impleme	ntation, from earlies	t	
	1.	Reproductive and Child Health programme										
	2.	Natio	nal Ru	ral Heal	th Miss	ion				(
	3. `	Natio	nal AII	OS Cont	rol Prog	gramme						
	4.	Unive	ersal In	munisa	tion Pr	ogramme			New YY			
	(A)	2, 1, 4		(B)	4, 3, 1		(C)	3, 4, 1, 2	(D)	1, 4, 3, 2		
35.	Mat	ch List l	I and L	st II cor	rectly a	and select	the co	orrect choice	.			
		List I				List II					× .	
	(a)) Objectives			1.	Guiding		•	l as expect	ation not as a		
	(b)) Policies			2.	Sequence of activities designed to implement policies and accompanish objectives						
	(c)	Programmes			3.	Time sequence for the work to be done						
	(d)	l) Schedule		4.	Planned end point of all activities							
		(a)	(b)	(c)	(d)							
	(A)	4	3	1	2							
	(B)	3	1	4	2 /							
	(C)	2	4	1	3							
	(D)	4	1	2	3							
36.		per Nati O should				002, the h	iealth	spending b	y the stat	e sector, by the year	r	
	(A)	5.5%		(B)	6%		(C)	7.5%	(D)	8%		
37.		Revised acies EX		nal Tube	erculosi	s control	progr	amme in In	dia is assi	sted by the following	3	
	(A)	World	l Bank									
	(B)	Depar	rtment	for Inte	rnation	al Develo	pment	(DFID)				
	(C)	UNE	SCO									
	(D)	DANI	IDA									
ψ.						9				HO15 [Turn over		

	(D)	24 weeks of gestation
		는 사람들이 되었다. 이 생물에 가장 보고 있는 것이 되었다. 그런
39.	The	MTP act defines the following except
	(A)	Who should perform the termination
	(B)	Where if should be done
	(C)	When it should be done
	(D)	How it should be done
		- 이상, 현실 등에 가장 기사가 있는 것 같아. 이 보고 말이 되는 것이 되는 것이 되었다.
40.	Und	er which benefit, the ESI beneficiary gets the O.P.D. care
	(A)	Medical benefit
	(B)	Sickness benefit
	(C)	Dependent's benefit
	(D)	All of the above
		기계 사용 등 보고 있다. 이 기계 전 경기 가입니다. 이 기계
41.	Rest	ricted medical care in ESI means
	(A)	Only O.P.D. services
	(B)	O.P.D. services as well as hospitalization
	(C)	Only laboratory facilities are not provided
	(D)	O.P.D. hospitalization and laboratory services
		고기
42.	Mate	ernity benefit under ESI act for delivery (confinement) is
	(A)	8 weeks (B) 10 weeks
	(C)	12 weeks (D) 14 weeks
HO1	5	10

Medical termination of pregnancy Act 1971, allows termination of pregnancy only upto

38.

(A)

(B)

(C)

6 weeks of gestation

12 weeks of gestation

20 weeks of gestation

43.		ne following are defence ems <u>except</u>	mechanism employ	ed by an individua	l when he	faced with
	(A)	Projection	5.0			
Š	(B)	Rationalization				
×	(C)	Conflict				
	(D)	Regression				
44.	The l	Panchayati Raj at the villa	age level consists of	all <u>except</u>		
	(A)	the gram sabha			4 m (3)	
	(B)	the panchayat samiti				
	(C)	the gram panchayat				
	(D)	the Nyaya panchayat				
45.	All a	re management technique	es based on quantita	tive methods excep	<u>t</u>	
	(A)	Information systems				
	(B)	Input-output analysis				
	(C)	System analysis				
	(D)	Cost-accounting				
46.	Alla	re organo phosphorus ins	ecticides except			
	(A)	Dieldrin	(B)	Abate		
•	(C)	Trichlorfon	(D)	Diazinon		
47:	All a	are organo chlorine insecti	icides except			
	(A)	Kepone	(B)	Aldrin		
	(C)	Lindane	(D)	Dichlorros	10	
48.	The	insecticide which is a sto	mach poison is			
	(A)	Sodium fluoride	(B)	Mineral oils		
	(C)	Sulphur dioxide	(D)	Rotenone		

49.	In H	lepatitis B infection, which statement is false?
	(A)	HBsAg is the first evidence of infection
	(B)	HBcAg appears in the serum after HBsAg
	(C)	Anti HBc appearance indicates active Hepatitis B
	(D)	Anti HBs appearance indicates recovery
		실계상에 되는 이 사람들이라는 이번에 가장하는 것이 되는 것이 되었습니다. 그 사람이 되는 것이다. 되고 있는 것이 있는 것이 되었습니다.
	m	
50.		following statements are true about Eltor Vibrios except
	(A)	They are epidemic strains
	(B)	They are resistant to classical phage IV
	(C)	They are resistant to polymyxin $B-50$ unit disc
	(D)	They do not agglutinate chick and sheep erythrocytes
51.	Whice epide	ch of the following is incorrectly paired in cardiovascular deaths % in different emiological transition?
	(A)	Age of pestilence and famine - 5-10%
	(B)	Age of delayed degenerative diseases - <50%
	(C)	Age of receding pandemics - 65%
	(D)	Age of degenerative and man-made diseases - 35 - 55%
		는 이번 이번 아름다면서 살아가지 하는 건 바이에 맞는데 그는 사람들이 되는 것 같아 모르게 된다.
		가지를 가장된다고 하셨다는데 가지 않는데 보는데 그렇게 되었다.
52.		risk of myocardial infarction is increased in those women who
		are on Intrauterine Device
	(B)	are on oral contraceptives
	(C)	are having regular menstruation
	(D)	consume saturated fat <10% of total energy
** 		[마이타이라] 영화를 내려가 하는 보다는 한 눈이를 하는 것이다. 아이는 이 아이는 것이다.
53.	Cerel	oro vascular diseases include the following except
	(A)	Subarachnoid haemorrhage
	(B)	Neuro cysticercosis
	(C)	Cerebral thrombosis
	(D)	Transient cerebral ischaemia
TTO		
HO ₁₅)	.r.

54. Match List I with List II and select the correct answer using the codes given below the list.

List II List I Ectopic pregnancy Oral contraceptives 1. (a) 2. Failures high due to incorrect use (b) IUCD, CU-T 3. Amenorhea is common Condom (c) To be avoided in lactating mother till 6 months 4. Depot provera (d) (d) (c) (a) (b) 3 1 4 (A) 2 -3 4 1 (B) 2 4 1 3 (C) 3 2 1 (D) 4

- 55. Prophylactic IFA is given to a child
 - (A) along with DPT vaccine doses
 - (B) for 100 days in a year
 - (C) when the child has an acute illness
 - (D) from birth
- 56. Consider the following statements:

Assertion A: A woman need not be given Tetanus Toxoid during third pregnancy if she has received T.T. - 2 doses during 1st pregnancy and booster during 2nd pregnancy and it is with in 5 yrs of 2nd pregnancy

Reason B: Risk of hyper immunization can be avoided.

- (A) Both A and B are true and B is reason for A
- (B) Both A and B are true but B is not correct reason for A
- (C) A is true, B is false
- (D) Both A and B are false
- 57. Consider the following statements:

Assertion A: Combined oral pills should be avoided during lactation.

Reason B: Withdrawal of the pills causes "Withdrawal bleeding".

- (A) Both A and B are correct and B is reason for A
- (B) Both A and B are correct but B is not reason for A
- (C) A is true but B is false
- (D) Both A and B are false

	(A)	Incidence rate		
	(B)	Prevalence rate		
	(C)	Disability rate		
	(D)	Notification rate		
59.	Pro	moting healthy lifestyle in children is	1	
	(A)	Primary prevention	•	
	(B)	Primordial prevention		
	(C)	Secondary prevention		18 19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	(D)	Tertiary prevention		
60.	Vaco	rines can be stored at Walk In Cold r	ooms (W	IC) up to
	(A)	One year	(B)	6 months
	(C)	3 months	(D)	1 month
		A 1877 C. PERCHANA		
61.	Whic	ch of the following indicates severity	of an ac	ute illness?
	(A)	Incidence rate		
	(B)	Prevalence rate		
	(C)	Case fatality rate		
	(D)	Proportional mortality rate		
62.	State	of social dysfunction is known as		
	(A)	Disease	(B)	Illness
	(C)	Sickness	(D)	Infection
HO15			14	

All of the following are morbidity indicators EXCEPT

63.	The f	ollowing is a mono unsaturated fatty	acid						
	(A)	Linolenic acid	(B)	Linoleic acid					
	(C)	Glycerol	(D)	Oleic acid					
64.	Extra	a Vit C is required in the following ex	ccept						
	(A)	Smokers	•						
	(B)	Alcoholics							
	(C)	Women an oral contraceptives							
37.75	(D)	Regular aspirin users							
65.	The	following vitamins are antioxidants	except						
	(A)	Vit A	(B)	Vit B ₁					
	(C)	Vit C	(D)	Vit E					
66.	The	purpose of health planning is to							
	(A)	하다는 이 이 이 사용을 내려가 되었다면 보다 이번 사용이 되었다. 그 사람들이 아이들이 아름다면 하는데 이 사용을 하는데 되었다면 하는데 되었다면 하는데 이 이 사람들이 아이들이 되었다면 하는데 이 사용을 하는데 되었다면 하는데 되었다면 하는데 이 사용을 하는데 되었다면 하는데 되었다면 하는데							
	(B)	(B) Use limited resources in tackling minimal problems							
	(C)	(C) Use limited resources to tackle many problems							
	(D)	(D) To meet the needs and demands of a organization							
67.	A primary health centre caters to a population of								
	(A)	10,000	(B)	20,000					
	(C)	30,000	(D)) 40,000					
68.	The	The concept of new primary Healthcare came into existence following an Internation conference in 1978, held at							
	(A)	Moscow	(B	Alma – Atta					
	(C)	Geneva	(E)) New Delhi					

00.		ich of the following is incorrectly paired?						
	(A)	National Tuberculosis Institute	- Bangalore					
	(B)	National Institute of Health and Family welf						
	(C)	National Institute of Communicable Diseases	길에 된 이 마음을 하고 하겠었다. 이번째 여겨에 되어 있으면 모르다.					
	(D)	National Institute of Nutrition	- Hyderabad					
70.	Acti	vities of TB association of India includes all EX	CEPT					
	(A)	Organising a TB seal campaign every year to						
	(B)	일 없어졌다. [사고 사고 있다면 사고 있다면 사고 있는데 그리고 있다면 가고 있었다면 하고 있다면 하는데						
	(C)	다리 사용을 보고 있다. 그런 사용을 가는 사용을 가지면 있다면 되었다. 그런 그리고 있는 사용을 받아 하는데 보고 있다. 그렇게 되었다는 사용을 보고 있다면 하는데 없는데 사용을 받아 있다. 그런 사용을 받아 다른데 다른데 사용을 받아 있다.						
	(D)	Active screening of all with cough for more th	an 2 wks					
71								
71.		ch of the following is incorrectly paired?						
	(A).	Basic health service provided at Block level	 Mukerji Committee 					
	(B)	Integration of preventive and ceratine services at all administrative level	- Jungal Walla Committee					
	(C)	Constitution of an All India Health Service on the pattern of Indian administrative service						
	(D)	Lady Health visitors to be designated as Female Health Supervisor						
			- Kartar Singh Committee					
72.	"UJJ	AWALA" means a comprehensive scheme 'to con	nbat'					
	(A)	A scheme to combat child abuse						
	(B)	A scheme to combat child labour						
	(C)	A scheme to combat child marriage						
	(D)	A scheme to combat child trafficking						
			1 mil * 1 M () 1 mil 1					
3.	The de	egree of freedom in a table with 4 rows and 4 col	umns is in Chi-square test is					
	(A)	16 (B) 9 (C) 8	(D) 1					

74.	The basic measure of child survival is						
	(A)	MMR		· · · · · · · · · · · · · · · · · · ·			
	(B)	IMR					
	(C)	Mortality between 1 to 4 years	of age				
	(D)	Under 5 Mortality					
	•						
75.	Com	ponents of Health Information s	ystem include	es all except			
	(A)	Financial statistics	(B)	Health status indicators			
	(C)	Health resources	(D)	Health promotion			
76.	Occu	pational hazard related to cold	are all except				
	(A)	Chilblains	(B)	Erythrocyanosis			
	(C)	Frost bite	(D)	Caisson's disease			
77.	Pneu	amoconiosis is caused by all exce	pt one of the	following type of dust			
	(A)	Inorganic dust	(B)	Organic dust			
	(C)	Soluble dust	(D)	Insoluble dust			
78.	Size	of respirable dust is below					
	(A)	0.1 micron	(B)	1 micron			
	(C)	5 microns	(D)	10 microns			
79.	The	substances associated with lung	cancer inclu	de all except			
	(A)	Asbestos	(B)	Nickel			
	(C)	Coal tar	(D)	Silica			
80.	X-ra	y chest shows "ground glass app	earance" in	lower 2/3 rd of lung in			
	(A)	Anthracosis	(B)	Silicosis			
	(C)	Asbestosis	(D)	Farmer's lung			

The following are health promotional measures except								
(A)	(A) Environmental sanitation							
(B)	Nutritional programmes							
(C)	Iodisation of salt							
(D)	Vaccination							
Cher	notherapy for uncomplicated tuber	rculosis is a						
(A)	Primordial prevention	(B)	Specific protection					
(C)	Secondary prevention	(D)	Tertiary prevention					
The following are the causes of Acute flaccid paralysis except								
(A)	Guillaine-barre syndrome	(B)	Poliomyelitis					
(C)	Tuberculosis	(D)	Acute transverse myelitis					
The serotype of polio virus which is highly antigenic is								
(A)	Serotype 1	(B)	Serotype 1 and 3					
(C)	Serotype 2	(D)	Serotype 3					
The	anti tuberculosis drug which is cor	ntraindicat	ed in HIV patients is					
(A)	Streptomycin	(B)	Pyrazinamide					
(C)	Isoniazid	(D)	Thioacetazone					
The	following are the diseases which a	re amneabl	e for eradication except					
(A)	Measles	(B)	Leprosy					
(C)	Poliomyelitis	(D)	Diphtheria					
Follo	owing one of the disease does not h	as proven o	carrier state					
(A)	Diphtheria	(B)	Typhoid					
(C)	Cholera	(D)	Measles					
	(A) (B) (C) (D) Cher (A) (C) The (A) (C) The (A) (C) The (A) (C) Folic (A)	 (A) Environmental sanitation (B) Nutritional programmes (C) Iodisation of salt (D) Vaccination Chemotherapy for uncomplicated tuber (A) Primordial prevention (C) Secondary prevention The following are the causes of Acute f (A) Guillaine-barre syndrome (C) Tuberculosis The serotype of polio virus which is hig (A) Serotype 1 (C) Serotype 2 The anti tuberculosis drug which is cor (A) Streptomycin (C) Isoniazid The following are the diseases which at (A) Measles (C) Poliomyelitis Following one of the disease does not h (A) Diphtheria 	(A) Environmental sanitation (B) Nutritional programmes (C) Iodisation of salt (D) Vaccination Chemotherapy for uncomplicated tuberculosis is a salary of the following are the causes of Acute flaccid para (A) Guillaine-barre syndrome (B) (C) Tuberculosis (D) The serotype of polio virus which is highly antiger (A) Serotype 1 (B) (C) Serotype 2 (D) The anti tuberculosis drug which is contraindicate (A) Streptomycin (B) (C) Isoniazid (D) The following are the diseases which are amneable (A) Measles (B) (C) Poliomyelitis (D) Following one of the disease does not has proven of (A) Diphtheria (B)					

		level of prevention of	of RH	D.		
	(A)	Primary		(B)	Secondary	
	(C)	Tertiary		(D)	Primordial	
89.	The g	genetic markers associated wi	ith ID	DM are th	e following except	
	(A)	HLA B8		(B)	HLA B15	
	(C)	HLA B24		(D)	HLA DR3	
90.	Scru	b typhus is transmitted by				
	(A)	Reduvid bug		(B)	Trombiculid mite	
	(C)	Cyclops		(D)	Ixodes tick	
91.	Case	e finding in RNTCP is based o	n			
	(A)	Mantoux test		(B)	Sputum culture	
	(C)	Sputum microscopy		(D)	Chest X ray	
92.	All a	are true in SAFE strategy for	Track	noma excej	ot	
	(A)	Screening				
	(B)	Antibiotics				
	(C)	Facial hygiene				
	(D)	Environmental cleanliness	3			
			ر ا			
93.	Whi	ich of thé incubation period is	incor	rectly pair	red?	
00.	(A)	Diphtheria		2 – 6 wks		
	(B)		4	2 – 10 day	' 8	
	(C)		-271	2-3 wks		
	(D)		_	2-3 mon	ths	
						HO15

[Turn over

Treatment of sovethroat infection by single dose of benzathine benzyl penicillin is

, is	(C)	Uttar Pradesh	(D)	West Bengal					
95.	Cau	uses of still births which may be elimin	ntad by	rocular dotaction and					
	1.	Rh incompatibility	ateu by	early detection and treatment are					
	2.	Diabetes in mother							
	3.	Infections							
	4.	High blood pressure in mother							
	5.	Premature rupture of membranes							
	(A)	All are correct	(B)	1, 2, 3 are correct					
	(C)	1, 3, 4 are correct	(D)	2, 4, 5 are correct					
06	Mr.		į.						
96.	(A)	The babies to be included in perinatal statistics include the following except							
	(A) (B)	Body length more than 35 cm							
	(C)	경기 없다. (1975년 1985년 1일 1987년 1987년 1987년 1일 1일 2일 전 1987년							
	(D)	0							
	(Σ)	Head circumference more than 25 cm	ns -						
\									
97.	The	The leading causes of child death in developed countries are							
	1.	Accidents							
	2.	Congenital anomalies	* 1						
	3.	Malignant neoplasms							
	4.	Malnutrition							
	5.	Influenza							
	(A)	All are correct	(B)	1, 2, 3 are correct					
	(C)	1, 3, 4 and 5 are correct	(D)	1, 2, 3 and 5 are correct					
98.	Whic	h is not true about DPT vaccine?							
	(A)	It should be stored in deep freezer							
	(B)	Exposure to direct sunlight when in	ise sho	ould be avoided					
	(C)	Store stocks are needed for 3 months							
	(D)	Half used vials should not be put back into the cold chair after the							

20

Tamil Nadu

State with lowest IMR
(A) Kerala

99.	Whic	Which of the disease has the greatest chance of global eradication in foreseeable future?						
	(A)	Poliomyelitis	(B)	Kala-azar				
	(C)	Yellow fever	(D)	Malaria				
100.	Bhop	al gas tragedy is an example of						
	(A)	Point source epidemic						
	(B)	Propagated epidemic		. 이 전 보다 보고 있는데 보고 있는데 하는데 보고 있다. 그렇게 되지 않는데 보고 있는데 보고 있는데 보고 있는데 보고 있다.				
	(C)	Continuous epidemic						
	(D)	Modern epidemic						
			- A	1:: J L				
101.		ounding bias in a case control study ca	n be e	liminated by				
	(A)	Following strict inclusion criteria						
	(B)	Randomization						
	(C)	Blinding		기 시 시 시 시 시 시 시 시 시 시 시 시 시 시 시 시 시 시 시				
	(D)	Matching						
Ť								
102.	Whi	ch is the subjective component of wellb	eing?					
	(A)	Standard of living						
	(B)	Education						
	(C)	Quality of life						
	(D)	Housing						
103.	In G	reek mythology the serpent testifies th	ne .					
	(A)	Art of healing						
	(B)	Art of treatment	•					

(C)

(D)

Art of prevention

Art of care

104.	Village Health Guides and Trained dais in primary Healthcare is an example of						
	(A)	Equitable Di	stribution	n	(B) Con	nmunity participation	
	(C)	Intersectoral	coordina	tion	(D) App	propriate Technology	
105.	Self	Help groups fo	rmation b	oegan	under, one of the fol	lowing programmes	
	(A)	Integrated R	ural Deve	elopm	ent programme		
	(B)	20-point prog	gramme				
	(C)	Minimum ne	eds progr	amme			
	(D)	Community 1	Developm	ent p	ogramme		
106.	The	following are th	ao thuac n		lo ourrous of MIIO o		
100.	The following are the three princip (A) The World Health Assembly						
	(A) (C)	Executive Bo		embly		risory Committee	
	(0)	Executive Do	ara		(D) The	Secretariat	
107.	The sani (A) (C)	Research Proj tary latrines wa USAID Ford foundat	as assiste	d at		truction of Hand-flushed acceptable k feller foundation RE	
108.	Mate		st II and	choose	your answers using	g the code below	
		List I			List II	**************************************	
	(a)	SIDA		1.	All India Institu Kolkatta	te of Hygiene and public health,	
	(b)	DANIDA		2.	X-Ray units and m	icroscopes for RNTCP	
	(c)	Rock feller fou	ndation	3.	Calcutta water sup	ply and drainage scheme	
	(d)	Ford foundation	on	4.	Blindness control p	programme	
		(a) (b)	(c)	(d)			
	(A)	1 3	4	2			
	(B)	3 2	1	4			
	(C)	2 4	1	3			
	(D)	1 2	3	4			
HO15		9 10			22	J.	

109.	The dintak	되는 경우를 되었다면 보다 하는 사람들이 되었다면 되었다면 하면 살이 하는 것이 없다면 하는 사람들이 되었다. 그렇게	reas is	s expenditure required for a daily calorie			
	(A)	3400	(B)	3800			
	(C)	2400	(D)	2100			
110.	The	orientation training centres at Singur ———— foundation.	and I	Poonamalle were setup with the help from			
	(A)	FORD	(B)	CARE			
	(C)	DANIDA	(D)	UNICEF			
111.	Abili	ties of the child is assessed by the follo					
	(A)	Behaviour	(B)	Skills			
	(C)	Handicaps	(D)	Education			
112.	Integrated counselling and testing centres have been established at the following places EXCEPT						
	(A)	24 hours Primary Health centres					
	(B)	Sub-district level Hospitals					
	(C)	Medical College Hospitals					
	(D)	Subcentres					
113.	Und	er the Factories Act – 1948, the minim					
	(A)	100 Cu. feet	(B)	200 Cu. feet			
	(C)	500 Cu. feet	(D)	1000 Cu. feet			
114.	The	standard normal curve has	. J				
	(A) Mean of 0 and standard deviation of 1						
	(B)	Mean of 1 and standard deviation of	0				
	(C)	Mean of 0 and standard deviation of	2.75				
	(D) Mean of 1 and standard deviation of 2.75						

115.	All of the following are bladder carcinogens except						
	(A)	$oldsymbol{eta}$ napthylamine	(B)	Benzidine			
	(C)	Auramine	(D)	Benzol			
`116.	Mini	imum area in cubic feet recommende	d for a w	orker is			
	(A)	100	(B)	250			
	(C)	500	(D)	600			
117.		ths and birth rates are registered and	d survey	done every 6 months is			
	(A)	Demographic survey	(B)	Epidemiological Surveillance			
	(C)	Sample Registration system	(D)	Record Linkage			
118.	The management technique which involves training and motivation, division of responsibility and opportunity for promotion is						
	(A)	Organisational design	(B)	System analysis			
	(C)	Organisational system	(D)	Personnel management			
119.	Whic	h of the following is not a continuous	date me	easurement?			
	(A)	Height	(B)	Weight			
	(C)	Gender	(D)	Chest circumference			
-	(CI)						
120.		record showing cause of mortality in	a populat	tion is			
	(A)	Life table					
	(B)	Record linkage					
	(C)	Life expectancy					
	(D)	Comparative mortality index					

121.	The following are pandemic diseases/conditions except								
	(A)	Influenza							
	(B)	(B) Acute Haemorrhagic conjunctivitis							
	(C) Smoking								
	(D)	Leprosy							
122.	The	type of biological transmission in rat fle	ea in p	laque is					
	(A)	Propagative	(B)	Cyclo propagative					
	(C)	Developmental	(D)	Cyclo developmental					
123.		following epidemological study design the outcome	gives	weak association between the risk factor					
	(A)	Case control study	(B)	Cohort study					
	(C)	Descriptive study	(D)	Controlled trials					
124.	Disir	nfection of air is by all the following exc	ept						
	(A)	Mechanical ventilation	(B)	Application of oil to floors					
	(C)	Replacement by use of coal	(D)	Triethylene glucol vapours					
125.		er ESI Act, an employee is exempted fr w Rs.	om pa	nyment of contribution if his daily wages is					
	(A)	50	(B)	70					
	(C)	100	(D)	250					
126.	The	leader of the health team is							
	(A)	Physician	(B)	Community nurse					
	(C)	Community leader	(D)	Teachers					
127.	All o	f the following are immutable risk facto	ors of o	coronary heart diseases EXCEPT					
	(A)	Age	(B)	Genetic factors					
	(C)	High blood pressure	(D)	Sex					

	I 8	Stage of chronic obstructive lesions		
	II S	State of acute manifestation		
	III A	Asymptomatic Amicrofilaraemia		
	IV A	Asymptomatic Microfilaraemia		
	(A)	II, III, IV, I	(B)	II, IV, III, I
	(C)	III, IV, II, I	(D)	III, II, IV, I
129.	Arra	nge in order the role of Reproduction h	ealth i	in poverty reduction strategy
	I I	Lower population growth		
	II I	Poverty reduction		
	III I	Reduced fertility		
	IV I	Lower young dependency ratio		
	V J	Faster economic growth		
	(A)	V, III, IV, I, II	(B)	II, V, III, I, IV
	(C)	V, II, III, IV, I	(D)	III, I, IV, V, II
130.	"Pov	erty line" is defined as expenditure K calories.	requi	red for daily per capita calorie intake of
	(A)	2400 in rural areas	(B)	2400 in urban areas
	(C)	2400 for women	(D)	2400 for men
131.	The	curve of learning reaches its peak betw	een	
	(A)	3 – 7 years	(B)	9 - 13 years
	(C)	16 – 19 years	(D)	22 – 25 years
132.	The	mob is		
	(A)	a temporary social group with no lea	der	
	(B)	orderly with internal organization		
	(C)	same as band		
	(D)	unstable and emotional		

Arrange the stage of Lymphatic filariasis in the order of occurrence:

128.

	(A)	Before giving DPT			
	(B)	When child is having diarrhoea			
	(C)	At birth			
	(D)	When child is having polio			
	у х:				
134.	Unde	er normal circumstances, an IUCD sh	ould be	replaced after every	
	(A)	1 year	(B)	3 years	
	(C)	5 years	(D)	7 years	
135.	The t	technique used for microscopy in RNT	CP		
	(A)	Gram stain	(B)	Dark illumination	
	(C)	Ziehl Neelson technique	(D)	Fontanas stain	
136.	'Prof	essional Misconduct' specified under	MCI act	t include all except	
	(A)	Alcoholism			
	(B)	Smoking			
	(C)	Adultery			
	(D)	Human rights violation			
137.	The	vaccine contraindicated in pregnancy			
	(A)	Rubella	(B)	BCG	
	(C)	DPT	(D)	TT	
138.	The	amount of IV fluids to be given to a se	everely	dehydrated infant in the 1st 1 hour is	
	(A)	20 ml/kg	(B)	그리는 내가 있는 사람들이 얼마나 살아 없는 것이다.	
	(C)	40 ml/kg	(D)		
		많아 봤다고 보고 있는데 되면 보는 사람이 없다.			_

Zero dose of polio vaccine is one which is given

139.	The kno	changes in the occurrence of disease over a long period of time, generally several years is wn as
	(A)	Seasonal trend
	(B)	Cyclic trend
3	(C)	Secular trend
	(D)	Propagated epidemic
140.	Hea	rt of controlled trial is
	(A)	Selection of reference population
	(B)	Selection of study population
	(C)	Randomization
,	(D)	Manipulation and follow up
141.	Who	n more than any test in a site of the site
111.	(A)	en more than one test is used to screen for a given disease, simultaneously, it increases sensitivity
	(A) (B)	decreases sensitivity
•	(C)	한 공연한 경에는 사용하면 맛있는데 하다고 있다면 하는 것이 되었다. 그는 사람들이 그는 사람들이 되었다는 것이 되었다. 그는 그는 그는 그는 사람들이 살아 없는 것이다.
	(D)	increases specificity decreases specificity
	(1)	uedicases specificity
142.	Whe	on false positive results can lead to dangerous consequences, it is good to choose a test
	(A)	high sensitivity
	(B)	high specificity
	(C)	- low sensitivity
	(D)	low specificity
143.	and the second second	sting for HIV, in voluntary testing centres, to avoid false positives, the test should have
	(A)	high sensitivity
	(B)	high specificity
	(C)	low sensitivity
	(D)	low specificity
HO15		28 J

144.	The world's largest private voluntary organization for supporting family planning services in developing countries is									
	(A)	UNFPA								
	(B)	UNICEF								
	(C)	[18일 12:18] [18] 12:18] 13:18] 13:18] 13:18 14:18 14:18 14:18 14:18 14:18 14:18 14:18 15:18 17:18 17:18 17:18								
	(D)	International Planned Parenthoo	od Federat	ion						
145.	Gene	eral literacy rate in India as per ce	nsus 2011							
	(A)	74.04%	(B)	84.7%						
	(C)	44.9%	(D)	64.6%						
146.	Targ	et couple includes all except								
	(A)	Those having 2-3 children								
	(B)	Those with one child								
	(C)	Newly married								
	(D)	Couple with no child after 2 year	rs of marri	age						
147.	Puls	e Polio Immunization is administra	ation of OF	VV to						
	(A)	(A) All children between 0-5 yrs of age on a single day, Irrespective of their previous immunization states								
	(B)	Children in the age group of 0-1 year only who have not been immunized earlier								
	(C)	Children in age group 12-24 months only as the booster dose								
gara.	(D)	All children between 0-5 yrs of a	ge, whenev	ver there is an outbreak of poliomyelitis						
148.	ICDS	S includes all except								
	(A)	Supplementary nutrition	(B)	Family planning						
	(C)	Health education	(D)	Immunization						
149.	Leas	t commonly used family planning i	method in	India						
	(A)	Tubectomy	(B)	Vasectomy						
	(C)	IUCD	(D)	Oral pills						

- 150. In Chi-square test, the test statistic is calculated using formula
 - (A) $\sum \frac{(O-E)^2}{E}$

(B) $\sum \frac{(O+E)^2}{E}$

(C) $\sum \frac{(O-E)^2}{O}$

- (D) $\sum \frac{(O+E)^2}{O}$
- 151. Standard error of sample proportion is calculated by the formulae
 - (A) $\sqrt{\frac{pq}{n}}$

(B) $\frac{s}{\sqrt{n}}$

(C) $\sqrt{\frac{p_1q_1}{n_1} + \frac{p_2q_2}{n_2}}$

- (D) $\frac{n}{\sqrt{s}}$
- 152. In an area, the number of live births for the year 2005 was 2100. The number of still births (720 weeks) was 60. The number of deaths in Neonates was 10 and number of deaths from 28 days to 1 year was 5. Calculate the IMR
 - (A) 5/2100 × 1000

(B) 15/2100 × 1000

(C) 65/2100 × 1000

- (D) 75/2100 × 1000
- 153. For calculating median value, the data should be subjected to
 - (A) Summation
 - (B) Arrangement by magnitude
 - (C) Condensation
 - (D) Moderation
- 154. The following are true about measles vaccine EXCEPT
 - (A) It is a live attenuated vaccine
 - (B) The dose is 0.5 ml
 - (C) Indicated in Immuno deficiency states
 - (D) Infants vaccinated at the age of 9 months show Sero conversion of about 90%

155.		a doctor working in a primary	health cent	re, management skills a	are essential for
	(A)	Efficient use of resources			
	(B)	Capacity for leadership			
	(C)	Training and supervision of he	alth workers		
	(D)	Handling displeased, complain			
156.	Worl	s sampling is a management tecl	nnique that p	ermits	
1	(A)	Adequate supervision			
	(B)	Judge appropriateness of staff	job descripti	on	
	(C)	Assessing work			74 - FF7 F
	(D)	Making representative sampli	ng		
157.	Cons	sider the following statement			
	Asse	rtion (A) : There is increase	in the netwo	rk of MTP centers and ser	vice providers.
	Reas	on (R) : Amendment to th	e MTP Act 20	003.	
	Sele	ct your answer according to the c	oding scheme	e given below	
	(A)	(A) is true but (R) does not exp	olain (A)		
	(B)	Both (A) and (R) are true, (R)	explains (A)		
	(C)	Both (A) and (R) are false			
	(D)	(A) is true (R) is false			
158.	Whi	ch among the following is not cov	vered under I	DSP?	
	(A)	Cholera	(B)	Plague	
	(C)	Viral hepatitis	(D)	Dengue	
159.	The	statistical inference, α errors in	ndicate		
	(A)	True Positive	(B)	False Positive	
	(C)	True Negative	(D)	False Negative	
Ψ			31		HO15

	(A)	A graphic plan of social interact	ion	
	(B)	A sociogram of programme		
	(C)	A schedule of graphic plan of act	tivities	
	(D)	An evaluation of implemented p		지나비 보고 있었다. 이 왕아에 아들은
161.	A11 o			
101.		are the characteristics of ideal indi		pt
	(A)	Sensitive to the changes in situa		N This fall grants take its
	(B)	Specific to reflect change only in	the situat	ion concerned
	(C)	Reliable and repeatable		
	(D)	Acceptable to the people		열리를 기계가 잃었다. 나양당하다
162.	Beha	avioural problems are the following	except	
	(A)	Personality disorders	(B)	Backwardness in studies
	(C)	Thumb sucking	(D)	Down's syndrome
1.00	_			
163.		ses of physical handicap in children	n may be d	ue to the following except
	(A)	Birth defects	(B)	Infections
d.	(C)	Accidents	(D)	Single parent
164.	Guid	elines for drinking water quality r	ecommend	ed by WHO include the following except
	(A)	Turbidity		Super chlorination
	(C)	Bacteriological indicators	(D)	Inorganic constituents
			\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
				불어 열심 것 하면 그렇게 하다.
165.		ive Schick's test indicates that the	person is	사이지 아파는 아름 없이 많은
	(A)	Immune to diphtheria		
	(B)	Hypersensitive to diphtheria		1. 발표하는 유럽 교하 이번 1 등 1 등 이름
	(C)	Susceptible to diphtheria		옷이가 이 옷이라고 있다. 함께 함
	(D)	Both Susceptible and hypersensi	tive	
		[[] [[하기 중요] 레디밍스티 [[리스티스		

160. The PERT is

100.	THE	permanent nardness of water is due to	an ex	cept
	(A)	Magnesium sulphate	(B)	Magnesium chloride
•	(C)	Magnesium bicarbonate	(D)	Magnesium nitrate
167.	Both	temporary and permanent hardness o	f wate	r can be removed by
	(A)	Boiling		
	(B)	Superchlorination		
	(C)	Addition of lime		
	(D)	Addition of sodium bicarbonate		
168.	"Pow	ver" of the lighting source is known as		
	(A)	Luminous intensity	(B)	Luminous flux
	(C)	Illuminance	(D)	Luminance
169.		ch of the following organophousphromainers?	us co	ompound can be used in domestic water
	(A)	Temephos	(B)	Diazinone
	(C)	Propoxur	(D)	Rotenone
170	The	percentage of para isomer in technical	DDT i	
110.	(A)	40 – 50	(B)	50 – 60
	(C)	60 – 70	(D)	70 – 80
171.	The	minimum standards for slaughter hous	ses hav	ve been suggested under
	(A)	ESI – Act –1948		
	(B)	Factories Act -1948		
	(C)	Prevention of Food Adulteration Act	-1954	
	(D)	Model Public Health Act – 1955		
				나는 경기에게 하지만한 다시 하네 살을 걸리면 하다 다른 일까지

172.	Child guidance clinic was started (A) in California									
	(A)	하게 하다가 하게 하게 살아가고 하는데 하는데 하는데 얼마나 아니까 하다고 그렇다가 다니다고 살아 하다니다.								
	(B)		vith juvenile delinqu	iency	현실 경기 경기 등을 가능하는 경기를 받는 것이 되었다. 					
	(C)	,	g carrier guidance							
	(D)	by a psy	chiatrist		그리고 있는 것이 생각들에 보고 있는 사람들이 없는 것이다. 강성 사람은 제대를 하는 것이 나를 하는 것이다.					
173.	The l	Epidemic (diseases Act was pro	mulgated in						
	(A)	1880		(B)	1881					
	(C)	1897		(D)	1920					
174.	Rega	rding cruc	de birth rate which i	s true?						
	(A)	Affected	by age distribution							
	(B)	Indicato	or of fertility		등일 중시하다는 사이 사용하는 게 되었다.					
	(C)	Include	the still births							
	(D)	Better n	neasures of fertility	than the GFR						
175.	Cons	ider the fo	ollowing statements							
	Asse	rtion A :	김 - 실망하다 하고 하다 보통하면 하다면 하다 하나 하다 그렇게 되었다.		eaths due to prematurity and congenital nortality rate decreases.					
	Reason B: Deaths due to prematurity and congenital disorders occur mainly in the 1st week of life									
	(A)	Both A	and B are true and I	B is the reason	for A					
	(B)	Both A	and B are true but B	is not the reas	son for A					
	(C)	(C) A is true, B is false								
	(D)	A and B	are false							
176.	Pus/o		from ear in a child	2 months - 5	years age for more than 14 days is treated					
	(A)	Antibiot	tic ear drops	(B)	Oral antibiotics					
	(C)	Paracita	amol only	(D)	Drying of ear by wicking					
HO15	5			34						

177.	Advantage of high risk screening over general population screening is										
	(A)	(A) Sensitivity is increased									
	(B)	Specificity is increased	,								
	(C)	Positive predictive value is increase	ed								
	(D)	Negative predictive value is increas	sed								
178.	The	following is NOT a criteria for selecti	ng disea	se for screening							
/ * 54	(A)	High prevalence	(B)	Fatal disease							
	(C)	No lead time	(D)	High lead time							
179.	Near	genius is a person with IQ									
	(A)	90 – 109	(B)	110 – 119							
	(C)	120 – 139	(D)	140 and over							
180.	Surv (A) (B)	eillance for malaria under the primar Health worker (Male) Health worker (Female)	ry healtl	a care system is the job responsibility of							
	(C)	Malaria worker									
	(D)	Non-medical supervisor									
181.	Accu	lturation is									
	(A)	Study of various cultures									
	(B)	Culture contact									
	(C)	Study of socio-cultural factors		등 하면 가는 맛이 하면 하면 하면 되었다.							
	(D)	Exchange of ideas									
182.	Beha	vioural Surveillance survey was carr	ied out i	n India in 2001 for the disease							
	(A)	SARS	(B)	Alcoholism							
	(C)	Schizophrenia	(D)	HIV							

SALI	E strategy has been developed for the	COLLETOI	01
(A)	Onchocerciasis	(B)	Trachoma
(C)	Refractive error	(D)	Ocular trauma
	여행 등 시간에 살아 하나 하나 하다.		
The	most sensitive index of recent transm	ission o	f malaria in a community is
(A)	Spleen rate		
(B)	Infant parasite rate		
(C)	Annual parasite incidence		
(D)	Slide positivity rate		
100			
	그는 마스 내가 들는 그렇게 되는 다른 대학 사람들이 얼마나 얼마다.		
	그는 내가 하는 하면 하면 하면 보다면 하다는 것이 되었다. 그런 그리고 하다는	isand po	opulation
(D)	Provides primary medical care for n	ninor ai	lments
TOD	AV contracentive contains		
		(D)	Nor ethisterone
	그 마이트 열면 어때를 살으면서 그는 뭐 나와 그림이다.		
(0)	9 – Nonoxynor	(D)	Copper Releasing mesh
Most	common cause of failure of vasectom	v	
	마일하게 하다가 나무는 것 않게 된다. 그런 얼마나 먹는 그리는 것이다. 하기		
(B)	More than 1 vasonone side		
(C)	Mistaken identification of vas		
	None of these		
In th	e case of death of mother the safest n	nilk for	artificial feeding is
(A)	Undiluted cow's milk with sugar		
(B)	Dried whole milk		
(C)	Breast milk from milk bank		
(D)	Cow's milk diluted with 2 parts of v	vater ar	nd sugar added
	(A) (C) The (A) (B) (C) (D) Whice (A) (B) (C) (D) TOD (A) (C) Most (A) (B) (C) (D)	(A) Onchocerciasis (C) Refractive error The most sensitive index of recent transm (A) Spleen rate (B) Infant parasite rate (C) Annual parasite incidence (D) Slide positivity rate Which is not true regarding ASHA? (A) They are preferably females (B) There is one ASHA worker per thou (C) ASHA is a skilled birth attendant (D) Provides primary medical care for respective contains (A) Prostaglandin F2 (C) 9 - Nonoxynol Most common cause of failure of vasectom (A) Spontaneous re-canalization of vas (B) More than 1 vasonone side (C) Mistaken identification of vas (D) None of these In the case of death of mother the safest m (A) Undiluted cow's milk with sugar (B) Dried whole milk (C) Breast milk from milk bank	(C) Refractive error (D) The most sensitive index of recent transmission of (A) Spleen rate (B) Infant parasite rate (C) Annual parasite incidence (D) Slide positivity rate Which is not true regarding ASHA? (A) They are preferably females (B) There is one ASHA worker per thousand per (C) ASHA is a skilled birth attendant (D) Provides primary medical care for minor air and the common cause of failure of vasectomy (A) Prostaglandin F2 (B) (C) 9 - Nonoxynol (D) Most common cause of failure of vasectomy (A) Spontaneous re-canalization of vas (B) More than 1 vasonone side (C) Mistaken identification of vas (D) None of these In the case of death of mother the safest milk for (A) Undiluted cow's milk with sugar (B) Dried whole milk (C) Breast milk from milk bank

36

189.	Autoclaving is the most effective method for sterilization of the following EXCEPT								
	(A)	Linen							
	(B)	Dressing							
	(C)	Syringes .							
	(D)	Sharp instruments							
190.	The	United Nations declared Millennium Development Goals in the year							
	(A)	1998 (B) 1999							
	(C)	2000 (D) 2001							
191.	Whic	ch of the following is not the duty of a Trained Birth Attendant?							
	(A)	Conduct deliveries in village							
	(B)	Administer Tetanus Toxoid							
	(C)	Propagate small-family norm							
	(D)	Identifies antenatal mothers in her area							
192.	The	following is attributed to impaired functioning of the heat regulating mechanism							
	(A)	Heat cramps							
	(B)	Heat exhaustion							
	(C)	Heat hyperpyrexia							
	(D)	Heat syncope							
193.	Siler	nt epidemic of the century is							
	(A)	Alzheimer's disease							
	(B)	Turners syndrome							
	(C)	Trypanosomiasis							
= 0.	(D)	Retrolental fibroplasia							

194.	Whic	Which among the following is an approach to health education?							
	(A)	Propaganda	(B)	Primary health care					
	(C)	Surveillance	(D)	Rehabilitation					
195.	The	informal version of ————— is buz	z grou	p discussion					
7.	(A)	Workshop	(B)	Lecture					
	(C)	Demonstration	(D)	Seminar					
196.	The	'open type' and 'covert type' is related t	ю.						
	(A)	Focus group discussion	(B)	Colloqium					
	(C)	Role playing	(D)	Workshop					
197.	Whic	ch among the following is incorrect abo	ut 'reg	ulatory approach' of health education?					
,	(A)	Managed prevention	(B)	Felt needs of people					
	(C)	Prohibition	(D)	Imprisonment					
198.	Moti	vation in health education includes the	follov	ving stages, 'except' :					
	(A)	Interest	(B)	Evaluation					
	(C)	Decision making	(D)	Group support					
199.	Whic	ch visual aid does require projection?							
	(A)	Exhibits	(B)	Film strips					
	(C)	Radio	(D)	Posters					
200.	In he	ealth related millennium development ce" -refers to all 'except'	t goals	s in India - "Access to an improved water					
	(A)	20 litres of water /person /day	72 A						
	(B)	Protected dug well							
	(C)	Source within 5km of the dwelling							
	(D)	Rain water collection							

SPACE FOR ROUGH WORK

SPACE FOR ROUGH WORK